

2N



Integrate 2N Intercoms with Symmetry™ Access Control

Enhance a leading access control system with visitor video communication and emergency calls from a wide range of advanced intercoms





Integration Benefits & Features

Safe buildings require **quick responses to incidents**, **clear visual verification of visitors**, and efficient security management: and thanks to this integration, this is all possible!


- **Symmetry Access Control** customers can **integrate with a wide portfolio of versatile intercoms** with Full HD cameras, touch displays, and more
- Integrate with intercoms that are **suitable for any project** from multi-tenant offices to mixed-use buildings
- **Easy and intuitive intercom call handling and monitoring** in one security interface
- Pick up incoming intercom calls via the **master station** on the desk or in Symmetry via **hands-free mode**
- **Serverless solution** that supports **direct SIP calls from 2N IP intercoms to the desktop station** & calls via a central SIP proxy server
- **Heightened door security: video from the intercom camera is displayed in the one security interface.**
- Operators can access live video or video recordings to **visually verify visitors**
- **Remotely grant or deny access** to doors or barriers
- **Prioritize incoming calls in busy environments** thanks to comprehensive call log overviews

How it works

The 2N® IP Phone D7A has been assigned as a 'master station' and configured to allow other intercoms to call it.

A panel is displayed for each intercom. Press the green phone icon to initiate a call between it and the 'master station'.

The panel notifies the operator about the intercom incoming calls and call states.



The icons enable actions such as: Cancel the call, Put on Hold, Open the door, View the intercom camera

Call logs inform users about incoming calls, missed calls and terminated calls.

View live or pre-recorded video feeds from either the intercom's built-in camera or an external camera paired with the intercom.

Easy navigation between multiple intercoms within a building. The Star icon enables the user to select and monitor top locations on the main screen.

Software & Licenses Needed

- 2N OS: 2.41 and higher
- Symmetry Version 9.4
- 2N Plugin for Symmetry (2N Ord. Num: 9137919, Axis Ord. Num: 02922-001)
- Gold license per 2N intercom for Video Streaming
- Symmetry Intercom License

Compatible 2N products



2N® IP Verso 2.0



2N® IP Verso



2N® IP Solo



2N® IP Force



2N® IP Safety



2N® IP Base



2N® IP Style



2N® IP Phone D7A

More technical information, description, manuals: <https://integrationhub.2n.com/detail/amag>

NOTE: Support for any feature listed above may be model or version specific – further consultation with Amag and 2N is highly recommended.

2N

2N TELEKOMUNIKACE a.s.

Prague, Czech Republic | +420 261 301 500 | sales@2n.com

Member of the AXIS group

AXIS
COMMUNICATIONS